



by evolis

EDIKIO DUPLEX

THE ADVANCED SOLUTION TO PRINT YOUR DUAL-SIDED PRICE TAGS ON PLASTIC CARDS

Edikio Duplex is an all-in-one solution to print great-looking price tags on plastic cards. It is ideal for printing high volumes of dual-sided monochrome or colored tags.

Made for demanding users, it includes everything needed to update and print price tags in a few minutes:

- The Edikio software Pro edition, dedicated for your activity and customizable to your store needs
- A compact printer for a minimal footprint in your store, featuring an LCD touch screen for more comfort of use
- Consumables dedicated for use in the food industry*:
 - 200 black CR80 cards (credit-card format)
 - White ribbon for up to 1000 prints

FASY-TO-USF SOFTWARF

Part of the Edikio Duplex solution, the Edikio Software Pro Edition is an indispensable component of your price tag solution:

- Includes a library of over 350 images, sample item lists and tag layouts for your retail
- Exclusive Edikio Chalk font
- Allows to sort your products by categories and even sub-categories to match the organization of your store (optional)
- Dynamic front and back sides preview of your tags before printing
- Importation of your item list from an Excel file, or creation of a new item list directly within the software
- Automatic refresh data from your Excel file
- Powerful search tools (PLU or keyword search)
- Automatic detection of updated prices since the last print
- Users rights management with individual login

Edikio PRO edition Help Categories Sub-Categories Sub-Categories Sub-Categories Sub-Categories Chicken | Search in current category | Select updated records only PLU Item Name Image Price Unit O0729 Chicken sings | 12.00 per Kg | 12.00

Edikio Printer Suite driver:

On top of the Edikio Software, the included Windows printer driver brings extra value with visual notifications and assistance if the user's attention is required (in case of low remaining capacity of consumables for instance).

Ideal for larger retails, such as:

Supermarkets, Bakers, Butchers, Pastry chefs, Chocolate sellers, Cheesemongers, Fishmongers, Caterers, Wine merchants...

^{*} Detailed information and list of references available at www.edikio.com/food-contact-compliance

PRINTING ON THE BACK SIDE: EXTRA ADDED-VALUE

Much more than a price ticket, a real tool to improve efficiency!

The information displayed on the back side eases your employees' day-to-day work:

- PLU and price check
- Facilitate new employees integration & communication (ingredients, recipes, margin indicator...)
- Inventory automation (bar code)





TOUCH DISPLAY FOR OPTIMAL COMFORT OF USE

The printer LCD provides a set of extra features:

- Display of the printer status in real time
- Brings notifications (when consumables capacity is low, or when the printer encounters an error)
- Perform settings or cleaning directly from the LCD touch display
- \bullet A wide range of accessories to help you setup your shelf



ENJOY THE BENEFITS OF PRINTING ON PLASTIC CARDS



Save time and gain flexibility

- Easy and quick to update thanks to the Edikio software
- No longer depend on a supplier :
 - Print your tags on-site yourself, in a batch or one-by-one
 - Re-print lost or updated tags in a few seconds



Comply with current regulations

• Thanks to full-tag customization, you can display all types of required info: allergens, product origin, nutritional facts...



Hygienic and dedicated for use in the food industry*

- PVC cards are free of any interstices, thus very easy to clean
- Evolis price tags are ideal for food retail and resist to cold and moist environments



Strengthen your brand image

- Make your own stylish price tag labels
- Harmonization of all your products
- Readable signs for your customers
- Professional, eye-catching shelves



Cost efficient

- Cheaper and longer-lasting than most alternative solutions, tags printed with Edikio Duplex are cost-efficient
- Issue all kinds of cards for an optimized return on investment: Loyalty cards, gift cards, employee badges...

A VARIETY OF CARDS AND ACCESSORIES ALSO AVAILABLE

Evolis offers a wide range of cards and ribbons to print tags in a variety of colors*.

All Evolis HighTrust ribbons are compatible with Edikio Duplex:

- Print in white on black cards / black on white cards
- Print in monochrome colors on white cards (black, red, green, blue...)
- Print in full colors (YMCKO) on white cards











A full range of price tag holders suitable for all standard shelving is also available: narrow or wide pikes, magnetized tag holders, and even an exclusive dual-card holder.



SPECIFICATIONS

| Commercial Part Number EDIH0000CD-BS000 Edikio Duples Double-sided, dege-to-edge printing [Margin: 0.4 mm in color / 0.7 mm for monochrome white printing] Included consumables White printing inhost for up to 1000 prints 200 x CR80 (credit-card formal black cards 30 mil Edikios Software Suite, containing): Edikios Software Suite, containing: Edikios Drivare — PRO addition Edikios Printer Suite — Driver for Windows Edikio Printer Suite — Driver for Windows Edikio Printer Suite — Driver for Windows Edikio Printer Suite — Driver for Windows Edikios Printer Suite — Driver for Windows Edikios Printer Suite — Driver for Windows Edikios Printer Suite Edikios Software — PRO addition Edikios Printer Suite For Real - 10 x 85 mm For Re | | |
|--|--|---|
| Printer Double-sided, edge-to-edge printing Included consumables White printing libon for up to 1000 prints 200 x CR80 leredit-card format black cards 30 mit Ediko Software Suite, containing: Ediko Software Suite, containing: Ediko Printer Suite, Drive for Mindows* Size Suite PRO edition Ediko Printer Suite, Drive Tor Mindows* Size Suite PRO edition Three-tag cards [33.97 mm x 85.80 mm] Three-tag cards [33.97 mm] Three-tag ca | Commercial Part Number | ED1H0000CD-BS003 |
| Included software Edikio Software Suite, containing: Edikio Prince lag software – PRO edition Three-lag cards (53.97 mm x 85.86 mm) Three-lag cards (53.97 mm x 85.85 mm – 3 x 28.5 mm) Automatic ribbon identification & setting Yes Low / end of ribbon graphical notification (from W7) Yes [Edikio Printer Suite) Cotor dye subtimation [16 mittions of cotors] Monochrome thermat transfer 300 dpi print head Printing speed – monochrome white (1 side) 490 cards / hour (7.3 sec / printed card) Printing speed – monochrome black (1 side) 600 cards / hour (6 sec / printed card) Printing speed – color (YMCKO, 1 side) 185 cards / hour (19,5 sec / printed card) Printing speed – color (YMCKO, 1 side) 185 cards / hour (19,5 sec / printed card) Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30°C (55°F / 86 *FI USB (1.0, 1.1, 2.0, 3.0) Ethernet Wiff loption] 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) 1 x Edikio Software Suite – USB stick USB cable (1.80 m) 1 x Edikio Software Suite – USB stick USB cable (1.80 m) 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 OB or RAM Minimum system requirements 500 MB hard disk free space 1024 x 758 pixel monitor resolution | Printer | Double-sided, edge-to-edge printing |
| Included software Edikio Price tag software — PRO edition Edikio Price tag software — PRO edition Edikio Price Squis Squis Price Tor Windows* Card size ISO CR80 - ISO 7810 IS3,98 mm x 85.60 mm) Three-tag cards IS3,77 mm x 85.85 mm - 3 x 28.5 mm) Card thickness 0,5 mm - 0.76 mm (20mit - 30 mill) Ribbon saver in monochrome Yes Automatic ribbon identification & setting Yes Low / end of ribbon graphical notification [from W7] Yes [Edikio Printer Suite] Color dye sublimation (16 millions of colors) Monochrome thermal transfer 300 dpi print had Printing speed — monochrome white [1 side] Printing speed — monochrome black [1 side] Printing speed — monochrome black [1 side] Printing speed — monochrome black [1 side] Printing speed — color (YMCKO, 1 side) 185 cards / hour (19,5 sec / printed card) Printing speed - color (YMCKO, 1 side) 185 cards / hour (19,5 sec / printed card) Card input feeder capacity Up to 100 cards (30 mil thickness) Card output hopper capacity Up to 100 cards (30 mil thickness) Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30°C (59°F / 86°F) USB (1,0,1,2,0,3,0) Ethernet Wiff (option) Tak Edikio Duplex printer 1 x Edikio Software Suite - USB stick USB cable (1,80 m) 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty Minimum system requirements Minimum system requirements Down MB hard disk free space 1024 x 766 pixel monitor resolution | Included consumables | |
| Three-tag cards (\$3.97 mm x 85.85 mm - 3 x 28.5 mm) Card thickness 0,5 mm - 0.76 mm (20mit - 30 mit) Ribbon saver in monochrome Yes Automatic ribbon identification & setting Yes Low / end of ribbon graphical notification (from W7) Printing technology Printing technology Printing speed - monochrome white (1 side) Printing speed - monochrome white (1 side) Printing speed - monochrome black (1 side) Printing speed - color (YMCKO, 1 side) Printing speed - color (YMCKO, 1 side) Card input feeder capacity Up to 100 cards (30mit thickness) Card output hopper capacity Up to 100 cards (30mit thickness) Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight Min/max operating temperature: 15°C / 30°C (59°F / 86°F) USB (1.0, 1.1, 2.0, 3.0) Ethernet Wiff (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite - USB stick USB cable (1.80 m) Ship kit contents Ship kit contents Windows 7 or higher (32 or 64 bits) 2 Gel of RAM Minimum system requirements Fige A 300 mit thickness Windows 7 or higher (32 or 64 bits) 2 Gel of RAM Minimum system requirements 500 MB hard disk free space 1022 x 766 pixel monitor resolution | Included software | Edikio Price tag software – PRO edition |
| Ribbon saver in monochrome Automatic ribbon identification & setting Yes Low / end of ribbon graphical notification [from W7] Printing technology Printing technology Printing speed – monochrome white [1 side] Printing speed – monochrome white [1 side] Printing speed – monochrome black [1 side] Printing speed – color (YMCKO, 1 side) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (YMCKO, 1 side) Printing speed – color (19,5 sec / printed card) Printing speed – color (YMCKO, 1 side) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed – color (19,5 sec / printed card) Printing speed | Card size | |
| Automatic ribbon identification & setting Low / end of ribbon graphical notification (from W7) Yes (Edikio Printer Suite) Color dye subtimation [16 milltions of colors] Monochrome thermat transfer 300 dpi print head Printing speed – monochrome white [1 side) Printing speed – monochrome white [1 side) Printing speed – monochrome black [1 side) Printing speed – color (YMCKO, 1 side) Printing speed – color (YMCKO, 1 side) 185 cards / hour [17,5 sec / printed card) Printing speed – color (YMCKO, 1 side) Up to 100 cards (30mil thickness) Card output hopper capacity Up to 100 cards (30mil thickness) Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30°C (59°F / 86°F) USB (1.0, 1.1, 2.0, 3.0) Ethernet Wiff (option) 1 x Edikio Duplex printer 1 x Edikio Uplex printer 1 x Edikio Software Suite – USB stick USB calde (1.80 m) 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty Minimum system requirements Windows 7 or higher (32 or 64 bits) 2 0 8 of RAM 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Card thickness | 0,5 mm - 0.76 mm (20mil - 30 mil) |
| Low / end of ribbon graphical notification (from W7) Yes [Edikio Printer Suite) Color dye subtimation [16 millions of colors] Monochrome thermal transfer 300 dpi print head Printing speed – monochrome white [1 side] Printing speed – monochrome black [1 side] Printing speed – monochrome black [1 side] Printing speed – color [YMCKO, 1 side] Up to 100 cards (30mil thickness) Card output hopper capacity Up to 100 cards (30mil thickness) Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30°C [59°F / 86°F] USB [1.0, 1.1, 2.0, 3.0] Ethernet Wiff (option) 1 x Edikio Software Suite – USB stick USB cable [1.80 m] 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty Minimum system requirements Windows 7 or higher [32 or 64 bits) 2 GB of RAM Minimum system requirements | Ribbon saver in monochrome | Yes |
| Printing technology Color dye sublimation 116 millions of colors) Monochrome thermal transfer 300 dpl print head Printing speed – monochrome white [1 side] 490 cards / hour [7,3 sec / printed card] Printing speed – monochrome black [1 side] 600 cards / hour [6 sec / printed card] Printing speed – color [YMCKO, 1 side] 185 cards / hour [19,5 sec / printed card] Printing speed – color [YMCKO, 1 side] Up to 100 cards [30mil thickness] Card output hopper capacity Up to 100 cards [30mil thickness] Printer Size [H x W x D] 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30°C [59°F / 86°F] USB [1,0, 1,1, 2,0, 3,0] Ethernet Wiffi (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable [1,80 m] Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty Mindows 7 or higher [32 or 64 bits] 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Automatic ribbon identification & setting | Yes |
| Printing technology Monochrome thermal transfer 300 dpi print head Printing speed – monochrome white (1 side) Printing speed – monochrome black (1 side) Printing speed – color (YMCKO, 1 side) Printing speed – color (YMCKO, 1 side) Card input feeder capacity Up to 100 cards (30mil thickness) Card output hopper capacity Up to 100 cards (30mil thickness) Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30°C (59°F / 86 °F) Connectivity Ethernet Wiff (option) 1 x Edikio Duplex printer 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty Minimum system requirements Minimum system requirements Minimum system requirements Double transfer 300 dpi print head 490 cards / hour (7,3 sec / printed card) 600 cards / hour (6 sec / printed card) 600 cards / hour (6 sec / printed card) 600 cards / hour (6 sec / printed card) 600 cards / hour (9,5 sec / printed card) 600 cards / ho | Low / end of ribbon graphical notification (from W7) | Yes (Edikio Printer Suite) |
| Printing speed – monochrome black (1 side) Printing speed – color (YMCKO, 1 side) 185 cards / hour (19,5 sec / printed card) Card input feeder capacity Up to 100 cards (30mil thickness) Card output hopper capacity Up to 100 cards (30mil thickness) Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30 °C (59°F / 86 °F) USB (1.0, 1.1, 2.0, 3.0) Ethernet Wifi (option) 1 x Edikio Duplex printer 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Printing technology | Monochrome thermal transfer |
| Printing speed – color [YMCKO, 1 side] Card input feeder capacity Up to 100 cards [30mil thickness] Card output hopper capacity Up to 100 cards [30mil thickness] Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30°C [59°F / 86°F] USB [1.0, 1.1, 2.0, 3.0] Ethernet Wifi (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable [1.80 m] Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher [32 or 64 bits] 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Printing speed – monochrome white (1 side) | 490 cards / hour (7,3 sec / printed card) |
| Card input feeder capacity Card output hopper capacity Up to 100 cards (30mil thickness) Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30 °C (59°F / 86 °F) USB (1.0, 1.1, 2.0, 3.0) Ethernet Wiff (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Printing speed – monochrome black (1 side) | 600 cards / hour (6 sec / printed card) |
| Card output hopper capacity Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30 °C (59°F / 86 °F) USB (1.0, 1.1, 2.0, 3.0) Ethernet Wifi (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Printing speed – color (YMCKO, 1 side) | 185 cards / hour (19,5 sec / printed card) |
| Printer Size (H x W x D) 247 mm x 205 mm x 383 mm Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30 °C (59°F / 86 °F) USB (1.0, 1.1, 2.0, 3.0) Ethernet Wifi (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Card input feeder capacity | Up to 100 cards (30mil thickness) |
| Printer Weight 4,02 kg Min/max operating temperature: 15°C / 30 °C (59°F / 86 °F) USB (1.0, 1.1, 2.0, 3.0) Ethernet Wifi (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Card output hopper capacity | Up to 100 cards (30mil thickness) |
| Min/max operating temperature: 15°C / 30 °C (59°F / 86 °F) USB (1.0, 1.1, 2.0, 3.0) Ethernet Wifi (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Printer Size (H x W x D) | 247 mm x 205 mm x 383 mm |
| Connectivity USB (1.0, 1.1, 2.0, 3.0) Ethernet Wifi (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Printer Weight | 4,02 kg |
| Connectivity Ethernet Wifi (option) 1 x Edikio Duplex printer 1 x Edikio Software Suite – USB stick USB cable (1.80 m) Ship kit contents 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Min/max operating temperature: | 15°C / 30 °C (59°F / 86 °F) |
| 1 x Edikio Software Suite – USB stick USB cable (1.80 m) 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit Power supply and power cord Warranty 3 years Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Connectivity | Ethernet |
| Windows 7 or higher (32 or 64 bits) 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Ship kit contents | 1 x Edikio Software Suite – USB stick USB cable (1.80 m) 200 x CR80 black cards 30 mil 1 x monochrome white ribbon for 1000 prints Starter cleaning kit |
| 2 GB of RAM Minimum system requirements 500 MB hard disk free space 1024 x 768 pixel monitor resolution | Warranty | 3 years |
| | Minimum system requirements | 2 GB of RAM 500 MB hard disk free space 1024 x 768 pixel monitor resolution |